

# DRIVEWAY PERMIT APPLICATION

WYSOX TOWNSHIP BOARD OF SUPERVISORS

103 LAKE ROAD

WYSOX PA 18854

[secretary@wysoxtownship.org](mailto:secretary@wysoxtownship.org)

(570) 265-9200 fx:265-9519

Location of Proposed Driveway

Address or Parcel Identification Number \_\_\_\_\_


Wysox Township

Owners Information

Name \_\_\_\_\_

Address \_\_\_\_\_

New driveway? \_\_\_\_\_ Alter an existing driveway? \_\_\_\_\_



Is any portion of the property reserved for a person with a disability or a severely disabled veteran?  YES  NO

Applicant's \_\_\_\_\_ Signature \_\_\_\_\_

# WYSOX TOWNSHIP DRIVEWAY PERMIT APPLICATION

- Township Driveway Permits are required for the construction of a driveway which connects to a Township road. Driveways which connect to a State Road are required to receive a Highway Occupancy Permit from the Pennsylvania Department of Transportation.
- Improvements which require a Township Driveway Permit include, but are not limited to the following: Construction of a new driveway, expansion of width and/or length of a driveway and/or repaving of a driveway.
- Adding stone to an existing stone driveway, coating or sealing an existing paved driveway do not require permits.

All applications for a Township Driveway Permit must be accompanied by a drawing showing the shape, size, dimensions and location of the driveway at the proposed intersection with the Township Road as well as the dimensions and location of all existing or proposed berms, curbing, drainage structures and grades of both the driveway and the Township road at the proposed driveway.

Name of Applicant \_\_\_\_\_

Phone \_\_\_\_\_

Contractor's Name \_\_\_\_\_

Contractor's Address \_\_\_\_\_


Contractor's Phone Number \_\_\_\_\_

\*Proof of insurance is required with the submission of this application.

**Site Plan: Attach Drawing of Proposed Driveway: Drawing must include Width of Driveway, Length of Driveway, Maximum Grade and Type of Surface.**

# WYSOX TOWNSHIP DRIVEWAY PERMIT APPLICATION

CLEAR SIGHT TRIANGLE: Driveways shall be located and constructed so a clear sight triangle is provided. Points marked A shall be located seventy-five (75) feet from a point where the centerline of the driveway and the street intersect. Point marked B shall be located along the centerline of the driveway and ten (10) feet from the edge of the roadway. No permanent obstructions and/or plant materials over three (3) feet high shall be placed within the clear sight triangle.



The applicant hereby certifies that all facts set forth herein and in the plans submitted are true and correct.

\_\_\_\_\_  
Signature of Applicant

\_\_\_\_\_  
Date